

Adhesive Tapes 粘性胶带

柔板胶带

Sicad Group

The adhesive tape experience 司克集团



the adhesive tape experience

Industry /

EUROGRAPHIC 780/10L



Thin film, brown paper liner 柔板胶带(褐色硅胶纸)

Double sided mounting tape with PVC backing, for photo polymeric or rubber plates on cylinders of small diameter, when an immediate high adhesion is required. No edge lifting, even on small cylinders. High flexibility. 双面胶带用于在柔版印刷过程中安装印版。使用专门配制的胶粘剂,不会缠胶。据有高柔然度。

Adhesive 胶水: Natural rubber 天然橡胶

Backing 基材: PVC

MAIN FEATURES



Removable

TECHNICAL DATA 技术资料

Elongation to break 伸长率 75 % Inner side adhesion 粘着力 11.25 N/25mm Outer side adhesion 粘着力 11.25 N/25mm Tensile strength 抗张力 140 N/25mm Total thickness 总厚度 0.1 mm



the adhesive tape experience

Industry /

EUROGRAPHIC 781/10



Thin film, yellow creped PVC liner 柔板胶带(黄色皱纹 PVC 离型膜)

Double sided mounting tape with PVC backing, for photo polymeric or rubber plates on cylinders of small diameter, with immediate high adhesion. No edge lifting even on small cylinders. High flexibility. 双面胶带用于在柔版印刷过程中安装印版。使用专门配制的胶粘剂,不会缠胶。据有高柔然度。

Adhesive 胶水: Natural rubber 天然橡胶

Backing 基材: PVC

MAIN FEATURES



Removable

TECHNICAL DATA 技术资料

Elongation to break 伸长率 75 % Inner side adhesion 粘着力 11.25 N/25mm Outer side adhesion 粘着力 11.25 N/25mm Tensile strength 抗张力 140 N/25mm Total thickness 总厚度 0.1 mm



the adhesive tape experience

Industry /

EUROGRAPHIC 781/20



Medium thick film, dark brown creped liner 柔板胶带(褐色皱纹 PVC 离型膜) Double sided mounting tape with PVC backing, for photo polymeric or rubber plates on small diameter cylinders. Immediate high adhesion. No edge lifting even on small cylinders. High flexibility. 双面胶带用于在柔版印刷过程中安装印版。使用专门配制的胶粘剂,不会缠胶。据有高柔然度。

Adhesive 胶水: Natural rubber 天然橡胶

Backing 基材: PVC

MAIN FEATURES



Removable

TECHNICAL DATA 技术资料

Elongation to break 伸长率 80% Inner side adhesion 粘着力 12.5 N/25mm Outer side adhesion 粘着力 12.5 N/25mm Tensile strength 抗张力 320 N/25mm Total thickness 总厚度 0.2mm



the adhesive tape experience

Industry /

EUROGRAPHIC 781/30



High thick film, green creped PVC liner 柔板胶带(绿色皱纹 PVC 离型膜) Double sided mounting tape with PP backing, for photo polymeric or rubber plates on cylinders of small diameter. Immediate high adhesion. No edge lifting even on small cylinders. High flexibility.

Adhesive 胶水: Natural rubber 天然橡胶

Backing 基材: OPP

MAIN FEATURES



Removable

TECHNICAL DATA 技术资料

Elongation to break 伸长率 980% Inner side adhesion 粘着力 10.0 N/25mm Outer side adhesion 粘着力 10.0 N/25mm Tensile strength 抗张力 175 N/25mm Total thickness 总厚度 0.3mm